

basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

NATIONAL SENIOR CERTIFICATE

GRADE 12

LIFE SCIENCES P1

FEBRUARY/MARCH 2017

FINAL MARKING GUIDELINE - 16 March 2016

MARKS: 150

Runder Watt OBE INTERNAL MODERATOR

Dr P. Preethleff UMALISI Moderator 16/03/2017 DEPARTMENT OF BASIS

PRIVATE BAG X895, PRETORIA 000

2017 -03- 2 2

APPROVED MARKING GUIDELINE PUBLIC EXAMINATION

This memorandum consists of 10 pages.

G.S. Pully
De interna moderator

Copyright reserved

P. B. MAJOZI UMALUSI

16/03/17

DEPARTMENT OF BASIC EDUCATION PRIVATE BAG X895, PRETORIA 0001

APPROVED MARKING GUIDELINE PUBLIC EXAMINATION

PRINCIPLES RELATED TO MARKING LIFE SCIENCES

- If more information than marks allocated is given
 Stop marking when maximum marks is reached and put a wavy line and 'max' in the right-hand margin.
- 2. **If, for example, three reasons are required and five are given**Mark the first three irrespective of whether all or some are correct/incorrect.
- 3. **If whole process is given when only a part of it is required** Read all and credit the relevant part.
- 4. **If comparisons are asked for, but descriptions are given** Accept if the differences/similarities are clear.
- 5. **If tabulation is required, but paragraphs are given** Candidates will lose marks for not tabulating.
- 6. If diagrams are given with annotations when descriptions are required Candidates will lose marks.
- 7. If flow charts are given instead of descriptions Candidates will lose marks.
- 8. If sequence is muddled and links do not make sense
 Where sequence and links are correct, credit. Where sequence and links are
 incorrect, do not credit. If sequence and links become correct again, resume
 credit.
- Non-recognised abbreviations
 Accept if first defined in answer. If not defined, do not credit the unrecognised abbreviation, but credit the rest of the answer if correct.
- 10. Wrong numbering If answer fits into the correct sequence of questions, but the wrong number is given, it is acceptable.
- 11. If language used changes the intended meaning Do not accept.
- 12. **Spelling errors**If recognisable, accept the answer, provided it does not mean something else in Life Sciences or if it is out of context
- 13. **If common names are given in terminology**Accept, provided it was accepted at the national memo discussion meeting.
- 14. If only the letter is asked for, but only the name is given (and vice versa)

 Do not credit.

GS MAY

DE THERM HURATA

Copyright reserved

16/2/2012



Dr P. Presthiali UMALUSI Moderator



15. If units are not given in measurements

Candidates will lose marks. Memorandum will allocate marks for units separately.

- 16. Be sensitive to the sense of an answer, which may be stated in a different way.
- 17. Caption

All illustrations (diagrams, graphs, tables, etc.) must have a caption.

18. Code-switching of official languages (terms and concepts)

A single word or two that appear(s) in any official language other than the learner's assessment language used to the greatest extent in his/her answers should be credited, if it is correct. A marker that is proficient in the relevant official language should be consulted. This is applicable to all official languages.

19. Changes to the memorandum

No changes must be made to the memoranda. The provincial internal moderators must be consulted, who in turn will consult with the national internal moderators (and the Umalusi moderators where necessary).

20. Official memoranda

Only memoranda bearing the signatures of the national internal moderators and the Umalusi moderators and distributed by the National Department of Basic Education via the provinces must be used.

PRIVATE BAG X895, PRETORIA 0001

2017 -03- 2 2

APPROVED MARKING GUIDELINE
PUBLIC EXAMINATION

P. B. MAJOZI UMALUSI

Copyright reserved

Ihllay

Dr P. Presthiali
UMALUSI Moderator




SECTION A

QUESTION 1

| WOL | JIION I | | |
|----------|---|--|---------------------------------|
| 1.1 | 1.1.1 1.1.2 1.1.3 1.1.4 1.1.5 1.1.6 1.1.7 1.1.8 1.1.9 1.1.10 | CVV CVV BVV BVV CVV CVV CVV AVV DVV DEPARTMENT OF BASIC EDUCATION PRIVATE BAG X895, PRETORIA 0001 (10 x | 2) (20) |
| 1.2 | 1.2.1 1.2.2 1.2.3 1.2.4 1.2.5 1.2.6 1.2.7 1.2.8 | Zygote ✓ Amniotic ✓ fluid Multiple sclerosis ✓ Prolactin ✓ Food security ✓ Umbilical vein ✓ / Vein Dendrite ✓ Diabetes ✓ 2017 -03- 2 2 APPROVED MARKING GUIDELINE PUBLIC EXAMINATION (8 x **) | 1) (8) |
| 1.3 | 1.3.1 | None√✓ | (2) |
| | 1.3.2 | Both A and B✓✓ | (2) |
| | 1.3.3 | B only√√ (3 x | (2) 2) (6) |
| 1.4 | 1.4.1 | (a) Centriole√(b) Chromosome√ (do not accept homologous chromosome/ chromatid) | |
| | | (c) Centromere√ | (3) |
| | 1.4.2 | Anaphase I√ | (1) |
| | 1.4.3 | Telophase I√ | (1) |
| | 1.4.4 | 4√ . | (1) |
| | 1.4.5 | Oogenesis√ | (1) (7) |
| 1.5 | 1.5.1 | (a) Sclera√(b) Cornea√(c) Pupil√ | (1) (1) (1) |
| | 1.5.2 | (a) D√ – Iris√ (b) G√ – Choroid√ (c) E√ – Retina√ | (2) (2) (2) (9) |
| | | TOTAL SECTION A | \: 50 |
| - | | | |

Copyright reserved

Dr P. Preethiali UMALUSI Moderator







SECTION B

QUESTION 2

| 2.1 | 2.1.1 | Vagina√/vaginal canal (birth canal not accepted since it is not always a birth canal) | (1) |
|-----|-------|--|---------------------|
| | 2.1.2 | - Protects the developing foetus - Contracts to push the baby out during labour - Allows for implantation of embryo - Contracts to push out blood/lining during menstruation (MARK FIRST ONE ONLY) Any | (1) |
| | 2.1.3 | Oestrogen√ | (1) |
| | 2.1.4 | It causes the initial thickening of the endometrium√/endometrium become more vascular and glandular | (1) |
| | 2.1.5 | - Sperm√ - cannot reach the ovum√ therefore fertilisation cannot take place√ OR - Ovum√ cannot move into A/the Fallopian tube/oviduct - cannot be reached by the sperm√ therefore fertilisation cannot take place√ | (3) (7) |

DEPARTMENT OF BASIC EDUCATION PRIVATE BAG X895, PRETORIA 0001

2017 -03- 2 2

APPROVED MARKING GUIDELINE

PUBLIC EXAMINATION


P. B. MAJOZI UMALUSI


Copyright reserved

Dr P. Preethlati UMALUSI Moderator



2.2 2.2.1





Mark allocation of the graph

| Criteria | Mark Allocation |
|---|---|
| Histogram drawn (bars must be touching) | 1 |
| Title of graph (has both variables) | 1 |
| Correct label and unit for X-axis and Y-axis | 1 |
| Correct scale for Y-axis and X-axis and width of the bars | 1 |
| Drawing of the graph | 1: 1 to 3 bars drawn correctly All 4 bars drawn correctly |

NOTE

If the wrong type of graph is drawn: Marks will be lost for 'correct type of graph' if axes are transposed: Marks will be lost only for labelling of X-axis and Y-axis

if learners draw both graphs on the same system of axes:

- · Learners will lose the mark for the title
- If 8 bars are drawn, mark the first 4 bars only

If learners draw two graphs mark the first graph

P. B. MAJOZI UMALUSI

Copyright reserved

afely

Dr P. Preethiali UMALUSI Moderator

Please turn over


(6)



| | | Life Sc | iences/P1 | 7 DBE/Feb.–Mar. NSC – Memorandum | 2017 |
|---|-----------|---|-------------|--|-------------------|
| IC 304 | | ¥ z | 2.2.2 | Babies that weigh 2 500 g or more are considered to be of normal/healthy birth weight | a (1) |
| EDUCATION BAG X895, PRETORIA 0001 | - 22 | AARKING GUIDELINI EXAMINATION | 2.2.3 | The total percentage of low birth weight babies born to mother who smoked was higher than those born to mothers who did no smoke ✓ ✓ | |
| DEPARTMENT OF EDUCATION PRIVATE BAG X895, PRETO | 2017 -03- | APPROVED MARKING GUIDELINE PUBLIC EXAMINATION | | OR The total percentage of low birth weight babies born to mother who did not smoke was lower than those born to mothers wh smoked ✓✓ | |
| DEPAF | | APPR | 2.2.4 | Chemicals dissolved in the mothers blood√ are able to move across the placenta√/and through the umbilical cord into the babies blood | |
| | | | | ⇒ by diffusion√ Any | y (2) (11) |
| | | 2.3 | 2.3.1 | Oviparous√ | (1) |
| | | | 2.3.2 | Eggs are laid√ in the nest | (1) |
| | | | 2.3.3 | (a) The graph will decrease more slowly ✓ at the beginning /not decrease as quickly at the beginning/more convex | (1) |
| | | | | (b) The offspring are protected√ by the parents for a longer | |
| | | | | period of time Therefore more of them will survive√ to become adults | (2) (5) |
| | | 2.4 | 2.4.1 | (a) Semi-circular canals√(b) Eustachian tube√(c) Oval window√/fenestra ovalis | (1) (1) (1) |
| | | | 2.4.2 | A/the tympanic membrane is larger ✓/larger surface area than D/the oval window ✓/smaller surface area Therefore the incoming sound waves are concentrated on to a | |
| | | | | smaller area√ thus amplifying the sound | (3) |
| | | | 2.4.3 | Allows ossicles/tympanum to vibrate freely√ | (1) (7) |
| | | 2.5 | 2.5.1 | Loss of higher thought processes√/memory/judgement/ problem solving/any example Loss of one or more of the senses√/loss of smell/hearing/ any example | |
| | | | | Loss of voluntary actions ✓ /paralysis could occur (MARK FIRST TWO ONLY) Any | (2) |
| | | | 2.5.2 | The skull ✓/cranium The meninges ✓/name of ALL three i.e. pia mater, arachnoid and dura mater | |
| | | | | - The cerebrospinal fluid ✓ (MARK FIRST ONE ONLY) Any | ٠, |
| | | Copyrigh | nt reserved | Please turn or Dr P. Preethiali | |
| | | | A | UMALUSI Moderator UMALU | JOZI JSI |

| | Life Scie | ences/P1 | 8 DBE/Fe NSC – Memorandum | eb. –Ma r. 201 | 17 |
|--|---|----------|---|-----------------------|--------------------|
| | | 2.5.3 | CTE mainly affects the cerebrum√ Therefore the medulla oblongata√ which controls breathing and heart rate is generally not damaged√ | Any | (2) (5) |
| | 2.6 | 2.6.1 | Blood√ | | (1) |
| | | 2.6.2 | The pituitary gland/hypophysis is malfunctioning√and secretes large amount of TSH√ Thyroid gland secretes less thyroxin√and this will not have a negative feedback effect on the pituitary gland to secrete less TSH√ (MARK FIRST TWO ONLY) | (2 x 2) | (4) (5) [40] |
| | QUEST | TON 3 | | | |
| I | 3.1 | 3.1.1 | To allow time for the auxins from the tip√ to diffuse into the agar jelly√ | | (2) |
| EPARTMENT OF BASIC EDUCATION NVATE BAG X895, PRETORIA 0001 | 2017 -03- 2 2 PPROVED MARKING GUIDELINE | 3.1.2 | Auxins from the agar jelly√ diffused into the shoot/coleoptile on one side/the left side. The cells on this side were stimulated to grow√/elongate. The cells on the other side/right side did not receive auxing and grew more slowly√ This uneven growth√ caused the stem to bend to the right. | e rins√ | (4) |
| DEPA | APPROVED PUBLIC | 3.1.3 | Remove the agar jelly completely ✓ /use agar jelly/substathat does not contain auxins and place a black box ✓ around the tip of the coleoptile | ince | (2) |
| | | | and place a black box. around the tip of the coleoptile | | (8) |
| | 3.2 | 3.2.1 | 6/12 < /6:12 | | (1) |
| | | 3.2.2 | People cannot learn the pattern ✓ / arrangement/sizes and therefore cheat on the test ✓ | | (2) |
| | | 3.2.3 | The ciliary muscles contract√ and tension on the suspensory ligaments is released√/ suspensory ligaments slacken The lens becomes more convex√/bulges and its refractive power increases√ so that a clear image is formed on the retina√ | Any | (4) (7) |
| | | | | | |

Copyright reserved



Dr P. Prestniali UMALUSI Moderator



| | Life Scier | nces/P1 | 9 NSC Memorandum | DBE/FebMar. 2017 | , |
|---|---|--|--|---------------------|-------------------|
| | 3.3 | 3.3.1 | - The transport of food over long distances ✓ - The packaging and processing of food ✓ (MARK FIRST TWO ONLY) | | (2) |
| DEPARTMENT OF BASIC EDUCATION PRIVATE BAG X885, PRETORIA 0001 | APPROVED MARKING GUIDELINE PUBLIC EXAMINATION | 3.3.2 | Reduce prices√ Sell locally grown products√ Donate unsold food to charities√ Only buy quantities that they can sell√ Use large refrigerators√/ storages (MARK FIRST TWO ONLY) | Any | (2) |
| S XSS | EXX. | 3.3.3 | 8/60 x 100√ = 13,3√/13,33/13 % | , uiy | (2) |
| ARTMI EDU TE BAG 3 | SED STED | 3.3.4 | · | oforo loss food | (2) |
| DEPARTME EDUC PRIVATE BAG X | APPR | 3.3.4 | Crops will fail ✓/farmers cannot plant crops there will be produced ✓ Decrease in supply of food ✓/more food will have imported and this food will be more expensive ✓ to (MARK FIRST TWO ONLY) | to be | (4) (10) |
| 4 | 3.4 | 3.4.1 | 1650✓ | | (1) |
| | | 3.4.2 | - There was an increase in the human population√ and a decrease in the parrot population√ | | (2) |
| | | 3.4.3 | Humans cut down the trees ✓ which are the parrot Humans probably killed the parrots ✓ for food ✓ /sp Humans introduces diseases ✓ that kill the parrots Humans introduce other species ✓ which use reso parrots would normally use ✓ (MARK FIRST TWO ONLY) | oort/ as pests √ | (4) |
| | | 3.4.4 | The organisms that feed on the parrots would prol migrate √/die as they would no longer have any food √ They will have to find an alternative food source √ and that will affect other food chains √ | bably Any (1 x 2) | (2) (9) |
| 3 | | irrigation and ca and cause cause The alg and the Less of plants This re other o | ers are washed into water bodies when it rains //exceon use eutrophication / cess nutrients / in the fertilisers an algal bloom / gae block out the sunlight / e water plants cannot photosynthesise / kygen is released into the water / die and bacteria cause decay / moves more oxygen from the water / rganisms then also die / the reduced water quality / | Any | (6) [40] |

Copyright reserved

Cholaz

Dr P. Preethiali UMALUSI Mederator

SECTION C

QUESTION 4

Regulating water

- The water levels in her body are low√/she is dehydrated
- Osmoreceptors√
- in the hypothalamus / are stimulated by the low water levels and send impulses
- to the pituitary gland√/hypophysis
- which is stimulated to secrete more ADH✓
- ADH increases the permeability
- of the tubules√/collecting ducts and distal convoluted tubules
- in the kidneys√
- More water is reabsorbed
- and passed to the surrounding blood vessels
- Less urine is produced√
- and the urine is more concentrated√
- in order to conserve water√
- Aldosterone

 ✓ is secreted by the adrenal glands
- to ensure more Na⁺ ions√ are reabsorbed by the distal convoluted tubules
- The increase in Na⁺ ions in the blood√
- causes more water to be reabsorbed√ into the blood capillaries

Max 12

Balance is achieved in the following way:

- The maculae√
- in the utriculus and sacculus ✓ and
- the cristae√
- in the semi-circular canals√ are stimulated
- They generate impulses√
- which is transmitted through the auditory nerve
 ✓
- to the cerebellum where they are interpreted
- Impulses are transmitted via the motor neuron√
- to skeletal muscles√

| DEPARTMENT OF BASIC EDUCATION | | | |
|----------------------------------|--|--|--|
| PRIVATE BAG X895, PRETORIA 0001 | | | |
| 2017 - 03- 2 2 | | | |
| APPROVED MARKING GUIDELINE | | | |
| PUBLIC EXAMINATION | | | |

Max 5
Content: (17)
Synthesis: (3)
(20)

ASSESSING THE PRESENTATION OF THE ESSAY

| Relevance | Logical sequence | Comprehensive | |
|--|---------------------------------|-------------------------------|--|
| All information provided is relevant to | Ideas arranged in a logical | Answered all aspects required | |
| the question. | sequence. | by the essay. | |
| All the information provided is relevant | All the information regarding | At least the following marks | |
| to regulating water and salts and | regulating water and salts and | should be obtained: | |
| maintaining balance. | maintaining balance is arranged | -Regulating water (8/12) | |
| | in a logical manner. | -Balance and equilibrium(3/5) | |
| There is no irrelevant information. | | , , , | |
| 1 mark | 1 mark | 1 mark | |

Rvan der War DBE INTERNAL MO DBE INTERNAL MO DCOpyright reserved

P. B. MAJOZI UMALUSI

Dr P. Presthiail
UMALUSI Moderator
16/03/2017.

aslicery Me International Ishler 16/2/2017

GRAND TOTAL: 150

TOTAL SECTION C: