



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

NATIONAL SENIOR CERTIFICATE


GRADE 12

LIFE SCIENCES P2

NOVEMBER 2016

MEMORANDUM

MARKS: 150



Dr P. Preethall
Dr P. Preethall
UMALUSI Moderator
23/11/2016

This memorandum consists of 12 pages.


R van der Watt
INTERNAL MODERATOR
23/11/2016
R Watt

G. S. Pillay
G. S. PILLAY
INTERNAL MODERATOR
23/11/2016

P. B. MAJOZI
P. B. MAJOZI
UMALUSI
23/11/16

PRINCIPLES RELATED TO MARKING LIFE SCIENCES


1. **If more information than marks allocated is given**
Stop marking when maximum marks is reached and put a wavy line and 'max' in the right-hand margin.
2. **If, for example, three reasons are required and five are given**
Mark the first three irrespective of whether all or some are correct/incorrect.
3. **If whole process is given when only a part of it is required**
Read all and credit the relevant part.
4. **If comparisons are asked for but descriptions are given**
Accept if the differences/similarities are clear.
5. **If tabulation is required but paragraphs are given**
Candidates will lose marks for not tabulating.
6. **If diagrams are given with annotations when descriptions are required**
Candidates will lose marks.
7. **If flow charts are given instead of descriptions**
Candidates will lose marks.
8. **If sequence is muddled and links do not make sense**
Where sequence and links are correct, credit. Where sequence and links are incorrect, do not credit. If sequence and links become correct again, resume credit.
9. **Non-recognised abbreviations**
Accept if first defined in answer. If not defined, do not credit the unrecognised abbreviation but credit the rest of the answer if correct.
10. **Wrong numbering**
If answer fits into the correct sequence of questions but the wrong number is given, it is acceptable.
11. **If language used changes the intended meaning**
Do not accept.
12. **Spelling errors**
If recognisable, accept the answer, provided it does not mean something else in Life Sciences or if it is out of context.
13. **If common names are given in terminology**
Accept, provided it was accepted at the national memo discussion meeting.
14. **If only the letter is asked for but only the name is given (and vice versa)**
Do not credit.



Dr P. Preethlall
UMALUSI Moderator

P. B. MAJOZI
UMALUSI

15. **If units are not given in measurements**
Candidates will lose marks. Memorandum will allocate marks for units separately.
16. **Be sensitive to the sense of an answer, which may be stated in a different way.**
17. **Caption**
All illustrations (diagrams, graphs, tables, etc.) must have a caption.
18. **Code-switching of official languages (terms and concepts)**
A single word or two that appear(s) in any official language other than the learners' assessment language used to the greatest extent in his/her answers should be credited if it is correct. A marker that is proficient in the relevant official language should be consulted. This is applicable to all official languages.
19. **Changes to the memorandum**
No changes must be made to the memoranda without consulting the provincial internal moderator who in turn will consult with the national internal moderator (and the Umalusi moderators where necessary).
20. **Official memoranda**
Only memoranda bearing the signatures of the national internal moderator and the Umalusi moderators and distributed by the National Department of Basic Education via the provinces must be used.



P. B. MAJOZI
UMALUSI

Dr P. Preethi
UMALUSI Moderator


and

f

SECTION A

QUESTION 1

1.1	1.1.1	D✓✓		
	1.1.2	C✓✓		
	1.1.3	C✓✓		
	1.1.4	C✓✓		
	1.1.5	C✓✓		
	1.1.6	No correct answer		
	1.1.7	B✓✓		
	1.1.8	D✓✓		
	1.1.9	A✓✓	(8 x 2)	(16)
1.2	1.2.1	Ribosome✓		
	1.2.2	Peptide✓		
	1.2.3	Replication✓		
	1.2.4	Non-disjunction✓		
	1.2.5	Extinction✓		
	1.2.6	Hypothesis✓		
	1.2.7	tRNA✓/transfer RNA		
			(7 x 1)	(7)
1.3	1.3.1	B only✓✓		
	1.3.2	B only✓✓		
	1.3.3	A only✓✓	(3 x 2)	(6)
1.4	1.4.1	(a) Adenine✓/A		(1)
		(b) Deoxyribose✓ sugar		(1)
		(c) Hydrogen bond✓		(1)
	1.4.2	10✓		(1)
	1.4.3	- DNA has the nitrogen base thymine✓ whereas RNA has the nitrogen base uracil✓ (Mark first ONE only)		(2) (6)
1.5	1.5.1	(a) Homologous chromosomes✓/Bivalent		(1)
		(b) Centromere✓		(1)
		(c) Chromatid✓		(1)
	1.5.2	- It holds the (two) chromatids together✓ - Attaches the chromosome to the spindle fibres✓	Any	(1)
	1.5.3	(a) Crossing over✓		(1)
		(b) Prophase 1✓		(1)
	1.5.4	Introduces variation✓/different gametes		(1)
				(7)




Dr P. Preethlall
UMALUSI Moderator

P. B. MAJOZI UMALUSI

1.6	1.6.1	(a) <i>Hyracotherium</i> ✓	(1)
		(b) <i>Sinohippus</i> ✓	(1)
	1.6.2	44✓mya✓ (44 – 44,5)	(2)
	1.6.3	55✓/50 /46 million years✓/my	(2) (6)

TOTAL SECTION A: 48



Dr P. Preethlall
UMALUSI Moderator

P. B. MAJOZI
UMALUSI

af

R

QUESTION 2

2.1 2.1.1 (a) GgTt✓ (1)

(b) Yellow✓ leaves no thorns✓ (2)

2.1.2 GGtt✓
Ggtt✓
ggTT✓
ggTt✓
(Mark first FOUR only) (4)
(7)


2.2 2.2.1 Human somatic cells have 23 pairs✓/46 chromosomes and this cell has only 2 pairs✓/4 chromosomes (2)

2.2.2 (a) 2✓ (1)

(b) 2✓ (1)

2.2.3

DEPARTMENT OF BASIC EDUCATION
PRIVATE BAG X895, PRETORIA 0001
2016 -11- 2 3
APPROVED MARKING GUIDELINE
PUBLIC EXAMINATION



Criteria to mark diagram

Single cell is drawn	1
Only 2 unreplicated chromosomes in drawing	1
Short unreplicated chromosome indicating T	1
Long unreplicated chromosome indicating R	1
Any ONE correct label	1

(5)
(9)

2.3


- The pair of alleles✓ on homologous chromosomes separate
- during meiosis✓/anaphase/ gamete formation, so that
- only one allele of each pair is present in the gamete✓/ offspring can acquire one allele from each parent

Dr P. Preethi
UMALUSI Moderator

P. B. MAJOZI
UMALUSI

(3)

- 2.4 2.4.1 (a) Suffers from Huntington's✓chorea (1)
- (b) hh✓ (1)
- 2.4.2 hh✓ (1)
- 2.4.3
- Emma's genotype is Hh✓/heterozygous
 - The father's genotype has to be hh✓/homozygous recessive
 - a cross between only these two genotypes✓/(Hh and hh) will ensure that there is 50% chance of the child not inheriting the disease
 - The child inherits one recessive allele from each parent✓ (3)
- (6)
- 2.5.1 Transcription✓ (1)
- 2.5.2 Nucleus✓/nucleoplasm (1)
- 2.5.3 (a) GTC✓ (1)
- (b) UAC✓ (1)
- 2.5.4 Valine✓✓ (2)
- 2.5.5
- A mutation affects the nucleotide sequence✓/nitrogen base sequence/gene structure
 - Resulting in a changed mRNA✓/codon
 - A different amino acid✓ may be coded for
 - by tRNA✓/anticodon
- Any 3 (3)
- (9)



**P. B. MAJOZI
UMALUSI**

Dr P. Preethhall
UMALUSI Moderator



2.6 2.6.1

P_1	Phenotype	Pink	x	Pink ✓
	Genotype	RW	x	RW ✓
<i>Meiosis</i>				
	G/gametes	R, W	x	R, W ✓
<i>Fertilisation</i>				
F_1	Genotype	RR;	RW; RW;	WW ✓
	Phenotype	Red	Pink	White ✓

P_1 and F_1 ✓
Meiosis and fertilisation ✓

Any 6

OR

P_1	Phenotype	Pink	x	Pink ✓
	Genotype	RW	x	RW ✓

Meiosis

Fertilisation


Gametes	R	W
R	RR	RW
W	RW	WW

1 mark for correct gametes
1 mark for correct genotypes

F_1 Phenotype Red : Pink : White ✓

P_1 and F_1 ✓
Meiosis and fertilisation ✓

Any 6 (6)
[40]




Dr P. Preethlall
UMALUSI Moderator



P. B. MAJOZI
UMALUSI

QUESTION 3

- 3.1 3.1.1 With the discovery that the soil bacterium *Agrobacterium* could be used to transfer useful genes from unrelated species into plants✓ (1)
- 3.1.2
- Modified crops may become super-weeds✓/accidentally breed with other plants to become super-weeds
 - They are difficult/expensive to kill✓
 - and could outcompete the original crop✓/other crops Any (2)
- 3.1.3
- Toxic proteins might be produced✓
 - Antibiotic-resistance genes may be transferred to human gut bacteria✓
- (Mark first TWO only)** (2)
(5)
- 3.2 3.2.1 (a) colour of lizard✓ (1)
- (b) survival rate of the lizards✓ (1)
- 3.2.2
- It decreases survival✓/lizards may die/is harmful/is lethal to the red lizards as
 - they will be seen✓ on the black rock by the predators
- OR**
- They could not escape predators✓/catch prey on cold days
 - as red lizards did not warm up fast on cold days✓ Any 1 x 2 (2)
- 3.2.3
- To allow enough time for reproduction✓ and survival to be able to calculate the percentage to ensure reliability✓ of results
- OR**
- A change in population proportions will not be seen over a shorter time period✓ to ensure reliability✓ of results Any 1 x 2 (2)
- 3.2.4
- Conduct the investigation in the same habitat✓/environment
 - Use the same sampling technique✓
 - Capture the same number of lizards in each sampled generation ✓
 - Take each sample at the same time of day✓/weather conditions
- (Mark first TWO only)** Any 2 (2)
- 2.5
- There is variation✓in colour amongst the lizards
 - *Red and brown✓ lizards
 - *are not camouflaged✓/cannot warm up fast enough to have energy to run away
 - are killed by predators✓
 - *The black lizards✓
 - *are better camouflaged✓/warm up faster to have energy to avoid predators
 - and survive✓/reproduce
 - The allele for black colour is passed on to the next generation✓
 - to produce more black lizards✓ in the next generation
- Any 2+*4 compulsory marks (6)



3.2.6



Guideline for the assessing the graph

Bar graph for the required data	1
Title of graph	1
Correct label and scale for X-axis	1
Correct label and scale for Y-axis	1
Drawing of bars	1: 1 to 3 bars plotted correctly 2: All 4 bars plotted correctly

(6)

NOTE:

If the wrong type of graph is drawn, marks will be lost for:

- 'Bar graph'
- 'Drawing of bars'

If two graphs are drawn mark the first ONE only


**P. B. MAJOZI
UMALUSI**

Dr P. Preethlall
UMALUSI Moderator

(20)

R

- 3.3
- The common ancestor✓/original camel population
 - was separated✓ into different populations
 - ***by the sea✓/due to continental drift**
 - There was no gene flow✓ between the populations
 - Each population was exposed to different environmental conditions✓/selection pressures
 - Natural selection occurred independently✓ in each population
 - The individuals of each population became different✓ from each other over time
 - genotypically and phenotypically✓
 - Even if the three populations were to mix again✓
 - they would not be able to interbreed✓
- Any 5+*1 compulsory (6)
- mark
- 3.4
- 3.4.1 I^A✓, I^B✓, i✓ (3)
- 3.4.2 2✓ (1)
- 3.4.3
- Any individual inherits one allele✓
 - from each parent✓
- (2)
- 3.4.4
- Each child✓
 - has an equal✓/25% chance of having
 - any blood group✓/ A, B, AB, or O.
- (3)
(9)
[40]



**P. B. MAJOZI
UMALUSI**

**Dr P. Praethlall
UMALUSI Moderator**

SECTION C
QUESTION 4

HYPOTHESIS

- All modern humans✓*/*Homo sapiens*
 - originated in Africa✓*
 - and migrated to other parts✓ of the world
- 2(*compulsory) +1 (3)**

FOSSIL EVIDENCE✓

- Fossils of *Ardipithecus* were found **ONLY** in Africa✓/Rift Valley/Ethiopia/South Africa
 - Fossils of *Australopithecus* were found **ONLY** in Africa✓/Rift Valley/Ethiopia/South Africa
 - The fossils of *Homo habilis* were **ONLY** found in Africa✓
 - The **OLDEST** fossils of *Homo erectus* were found in Africa✓
 - The **OLDEST** fossils of *Homo sapiens* were found in Africa✓
- Max (4)**

GENETIC EVIDENCE✓

- Mitochondrial DNA✓
 - Is inherited only from the maternal line✓
 - Analysis of mutations ✓ on this mitochondrial DNA
 - shows that the oldest female ancestor were located in Africa✓
 - and that all humans descended from her✓/mitochondrial Eve
 - The Y chromosome shows the paternal line✓
- Max (4)**

CULTURAL EVIDENCE✓


- The **OLDEST**/most primitive artefacts (tools, cutlery, art etc.)
 - were found in Africa✓
- (2)**

TOTAL FOR EVIDENCE (8)

BIPEDALISM

The fossils of all three genera indicate that:

- The foramen magnum✓
- is located in a more forward position✓
- The pelvis✓
- is wider and shorter✓
- The spine✓
- is S-shaped✓



(6)
Content (17)
Synthesis (3)
(20)

ASSESSING THE PRESENTATION OF THE ESSAY

Criterion	Relevance (R)	Logical sequence (L)	Comprehensive (C)
Generally	All information provided is relevant to the question.	Ideas are arranged in a logical sequence.	All aspects of the essay have been sufficiently addressed.
In this essay in Q4	Only information relevant to the 'Out of Africa' hypothesis and bipedal fossils of the three genera are described. No irrelevant information included.	The description of the evidence for the 'Out of Africa' hypothesis and the evidence of bipedalism is presented in a logical and sequential manner.	At least the following marks should be obtained: - 7/11 for the 'Out of Africa' hypothesis and the evidence - 4/6 on evidence for bipedalism.
Mark	1		1

TOTAL SECTION C: 20
GRAND TOTAL: 150

P. B. MAJOZI
P. B. MAJOZI
UMALUSI

Dr P. Praethall
Dr P. Praethall
UMALUSI Moderator
23/11/2016

23/11/16
23/11/2016
Ratt



basic education
 Department:
 Basic Education
 REPUBLIC OF SOUTH AFRICA

DEPARTMENT OF BASIC
 EDUCATION
 PRIVATE BAG X996, PRETORIA 0001
 2016 -11- 2 3
 APPROVED MARKING GUIDELINE
 PUBLIC EXAMINATION

TOLERANCE RANGES 2016 NSC SUBJECTS

SUBJECT	PAPER 2													
QUESTION NUMBER	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	
QUESTION TOTAL	50	40	40	20										
FINAL TOLERANCE RANGE PER QUESTION	0	2.43(1)	3.25(1)	1										
<i>Indicate the item at which the Tolerance Range will apply</i>		2.55(1)												
FINAL TOLERANCE RANGE FOR QUESTION PAPER	4										TOTAL MARKS			150

APPROVED
 DBE *[Signature]*
 DATE: 23/11/2016
 UMALUSI *[Signature]* /
 UMALUSI *[Signature]* /